


FRONT ELEVATION
SCALE 3/4" = 1'-0"



EAST ELEVATION
SCALE 3/4" = 1'-0"



REAR ELEVATION
SCALE 3/4" = 1'-0"






WEST ELEVATION
SCALE 3/4" = 1'-0"


GRASMERE HEIGHTS SCHOOL

SLOCUM


THESE PLANS CERTIFIED
MAY 25th 1934 BY
L. Ray Bradley

SLOCUM SCHOOL
 GRASMERE HEIGHTS SCHOOL
 CURUPS AND RALSTON AVENUES
 FORT WAYNE, INDIANA
 COMM. NO. 363
 ARCHITECT
 L. RAY BRADLEY
 221 W. WAYNE ST.
 SHEET NO. 1







BASEMENT PLAN
~ SCALE 8"=10'




FIRST FLOOR PLAN
~ SCALE 8"=10'



SECOND FLOOR PLAN
SCALE 1/8" = 1'-0"
ENTIRE SECOND FLOOR LEVEL AT EL. 118.00'



ROOF PLAN
SCALE 1/8" = 1'-0"




FLOOR AND FINISH SCHEDULE									
FL. ROOM & NO.	FIN. FLOOR	BORDER	BASE	WAINSCOT	HEIGHT	WALLS	CEILING	BORDER	SUSPEND
BOILER & FUEL	—	—	—	—	—	CONCRETE	UNFINISHED	—	—
STORAGE 1212	—	—	—	—	—	—	—	—	—
HALL CORE 1	—	—	—	—	—	—	—	—	—
JANITORS CLOS.	—	—	—	—	—	—	—	—	—
COND. STAIRS	ENAMEL	—	—	—	—	—	—	—	—
ENTR. HALL	ASPHALT TILE	YES	GLAZED TILE	GLAZED TILE	7'-1 1/2"	PLASTER	INSUL. BOARD	YES	SOPFIT
HALL CORRIDOR 143	—	—	—	—	—	—	—	—	—
HALL EXIT 1	—	NO	—	—	7'-1 1/2"	—	—	—	—
HALL EXIT 2	—	—	—	—	—	—	—	—	—
HALL CLOSET 12314	—	—	WOOD	—	—	—	—	—	—
HALL CLOSET 12316	—	—	—	—	—	—	—	—	—
HALL CLOSET 12318	—	—	—	—	—	—	—	—	—
HALL CLOSET 12320	—	—	—	—	—	—	—	—	—
HALL CLOSET 12322	—	—	—	—	—	—	—	—	—
HALL CLOSET 12324	—	—	—	—	—	—	—	—	—
HALL CLOSET 12326	—	—	—	—	—	—	—	—	—
HALL CLOSET 12328	—	—	—	—	—	—	—	—	—
HALL CLOSET 12330	—	—	—	—	—	—	—	—	—
HALL CLOSET 12332	—	—	—	—	—	—	—	—	—
HALL CLOSET 12334	—	—	—	—	—	—	—	—	—
HALL CLOSET 12336	—	—	—	—	—	—	—	—	—
HALL CLOSET 12338	—	—	—	—	—	—	—	—	—
HALL CLOSET 12340	—	—	—	—	—	—	—	—	—
HALL CLOSET 12342	—	—	—	—	—	—	—	—	—
HALL CLOSET 12344	—	—	—	—	—	—	—	—	—
HALL CLOSET 12346	—	—	—	—	—	—	—	—	—
HALL CLOSET 12348	—	—	—	—	—	—	—	—	—
HALL CLOSET 12350	—	—	—	—	—	—	—	—	—
HALL CLOSET 12352	—	—	—	—	—	—	—	—	—
HALL CLOSET 12354	—	—	—	—	—	—	—	—	—
HALL CLOSET 12356	—	—	—	—	—	—	—	—	—
HALL CLOSET 12358	—	—	—	—	—	—	—	—	—
HALL CLOSET 12360	—	—	—	—	—	—	—	—	—
HALL CLOSET 12362	—	—	—	—	—	—	—	—	—
HALL CLOSET 12364	—	—	—	—	—	—	—	—	—
HALL CLOSET 12366	—	—	—	—	—	—	—	—	—
HALL CLOSET 12368	—	—	—	—	—	—	—	—	—
HALL CLOSET 12370	—	—	—	—	—	—	—	—	—
HALL CLOSET 12372	—	—	—	—	—	—	—	—	—
HALL CLOSET 12374	—	—	—	—	—	—	—	—	—
HALL CLOSET 12376	—	—	—	—	—	—	—	—	—
HALL CLOSET 12378	—	—	—	—	—	—	—	—	—
HALL CLOSET 12380	—	—	—	—	—	—	—	—	—
HALL CLOSET 12382	—	—	—	—	—	—	—	—	—
HALL CLOSET 12384	—	—	—	—	—	—	—	—	—
HALL CLOSET 12386	—	—	—	—	—	—	—	—	—
HALL CLOSET 12388	—	—	—	—	—	—	—	—	—
HALL CLOSET 12390	—	—	—	—	—	—	—	—	—
HALL CLOSET 12392	—	—	—	—	—	—	—	—	—
HALL CLOSET 12394	—	—	—	—	—	—	—	—	—
HALL CLOSET 12396	—	—	—	—	—	—	—	—	—
HALL CLOSET 12398	—	—	—	—	—	—	—	—	—
HALL CLOSET 12400	—	—	—	—	—	—	—	—	—
HALL CLOSET 12402	—	—	—	—	—	—	—	—	—
HALL CLOSET 12404	—	—	—	—	—	—	—	—	—
HALL CLOSET 12406	—	—	—	—	—	—	—	—	—
HALL CLOSET 12408	—	—	—	—	—	—	—	—	—
HALL CLOSET 12410	—	—	—	—	—	—	—	—	—
HALL CLOSET 12412	—	—	—	—	—	—	—	—	—
HALL CLOSET 12414	—	—	—	—	—	—	—	—	—
HALL CLOSET 12416	—	—	—	—	—	—	—	—	—
HALL CLOSET 12418	—	—	—	—	—	—	—	—	—
HALL CLOSET 12420	—	—	—	—	—	—	—	—	—
HALL CLOSET 12422	—	—	—	—	—	—	—	—	—
HALL CLOSET 12424	—	—	—	—	—	—	—	—	—
HALL CLOSET 12426	—	—	—	—	—	—	—	—	—
HALL CLOSET 12428	—	—	—	—	—	—	—	—	—
HALL CLOSET 12430	—	—	—	—	—	—	—	—	—
HALL CLOSET 12432	—	—	—	—	—	—	—	—	—
HALL CLOSET 12434	—	—	—	—	—	—	—	—	—
HALL CLOSET 12436	—	—	—	—	—	—	—	—	—
HALL CLOSET 12438	—	—	—	—	—	—	—	—	—
HALL CLOSET 12440	—	—	—	—	—	—	—	—	—
HALL CLOSET 12442	—	—	—	—	—	—	—	—	—
HALL CLOSET 12444	—	—	—	—	—	—	—	—	—
HALL CLOSET 12446	—	—	—	—	—	—	—	—	—
HALL CLOSET 12448	—	—	—	—	—	—	—	—	—
HALL CLOSET 12450	—	—	—	—	—	—	—	—	—
HALL CLOSET 12452	—	—	—	—	—	—	—	—	—
HALL CLOSET 12454	—	—	—	—	—	—	—	—	—
HALL CLOSET 12456	—	—	—	—	—	—	—	—	—
HALL CLOSET 12458	—	—	—	—	—	—	—	—	—
HALL CLOSET 12460	—	—	—	—	—	—	—	—	—
HALL CLOSET 12462	—	—	—	—	—	—	—	—	—
HALL CLOSET 12464	—	—	—	—	—	—	—	—	—
HALL CLOSET 12466	—	—	—	—	—	—	—	—	—
HALL CLOSET 12468	—	—	—	—	—	—	—	—	—
HALL CLOSET 12470	—	—	—	—	—	—	—	—	—
HALL CLOSET 12472	—	—	—	—	—	—	—	—	—
HALL CLOSET 12474	—	—	—	—	—	—	—	—	—
HALL CLOSET 12476	—	—	—	—	—	—	—	—	—
HALL CLOSET 12478	—	—	—	—	—	—	—	—	—
HALL CLOSET 12480	—	—	—	—	—	—	—	—	—
HALL CLOSET 12482	—	—	—	—	—	—	—	—	—
HALL CLOSET 12484	—	—	—	—	—	—	—	—	—
HALL CLOSET 12486	—	—	—	—	—	—	—	—	—
HALL CLOSET 12488	—	—	—	—	—	—	—	—	—
HALL CLOSET 12490	—	—	—	—	—	—	—	—	—
HALL CLOSET 12492	—	—	—	—	—	—	—	—	—
HALL CLOSET 12494	—	—	—	—	—	—	—	—	—
HALL CLOSET 12496	—	—	—	—	—	—	—	—	—
HALL CLOSET 12498	—	—	—	—	—	—	—	—	—
HALL CLOSET 12500	—	—	—	—	—	—	—	—	—

SCHEDULE OF DOORS									
M.K.	NO.	WIDE	HIGH	THICK	MATL.	DESCRIPTION	FRAME	FL.	
A	1	2'-8"	7'-6"	1 3/4"	W.P.	12 LTS. + 2 X P. TRANS. SEE DET.	CYP	B	
B	1	3'-0"	6'-8"	1 3/8"	Y.P.	5 X P.	Y.P.	B	
C	4	2'-8"	6'-8"	1 3/8"	Y.P.	5 X P.	Y.P.	B	
D	5	3'-0"	7'-0"	1 3/4"	BIRCH	6 LTS. + 3 X P. TOILETS	ST	I & II	
E	4	2'-10"	7'-0"	1 3/4"	"	6 LTS. + 3 X P. TLTS. - D.A.	ST	I & II	
F	15	3'-0"	7'-0"	1 3/4"	"	9 LTS. + 2 X P. CLASS. E.M.S.	ST	I & II	
G	2	3'-0"	7'-0"	1 3/4"	W.P.	8 LTS. - TRANS. SEE DETAIL	CYP	I	
H	2	3'-0"	7'-0"	1 3/4"	W.P.	8 LTS. - SEE DETAIL	"	I	
I	5	3'-0"	7'-0"	1 3/4"	BIRCH	3 PANEL SEE SECT. "E-E"	ST	I & II	
J	1	3'-0"	7'-0"	1 3/4"	"	6 LTS. + 2 X P.	"	I	
K	4	2'-6"	7'-0"	1 3/8"	"	3 PANEL TEACHER CLOSETS	"	I & II	

NOTE: METAL DOORS TO TOILET STALLS, FIRE DOOR, AND FOUR 32" X 28" BATTEN DOORS IN BASEMENT NOT SCHEDULED


SCHEDULE OF WINDOWS									
M.K.	WIDE	HIGH	UPPER GL. SIZE	GL. SIZE	GL. SIZE	SILL	TYPE	QTY	
W.1	7'-6"	5'-3"	35" X 44"	3	35" X 44"	3	STONE D.H. WOOD - 6" MULLION - 2 UNITS	13	
W.2	7'-6"	5'-11 1/2"	35" X 30 1/2"	6	35" X 30 1/2"	6	" " " - 2 " " - 1	1	
W.3	3'-8"	5'-11 1/2"	35" X 30 1/2"	6	35" X 30 1/2"	6	" " " - SINGLE UNIT	8	
W.4	7'-6"	12'-0 1/2"	35" X 44"	9	35" X 44"	9	" " " - 6" MULLION - 2 UNITS	6	
W.5	5'-6"	7'-1 1/2"	23" X 30 1/2"	4	23" X 30 1/2"	4	" " " - 6" MULLION - 2 UNITS	6	
W.6	5'-0"	5'-6"	23" X 27 1/2"	4	23" X 27 1/2"	4	" " " - 6" MULLION - 2 UNITS	1	
W.7	3'-8"	3'-5 1/2"	—	—	—	—	6" LT. - HORIZ. PIVOTED STEEL	—	
W.8	4'-8" DIAM.	—	—	—	—	—	48" DIAM. - VENTILATED "30" 60"	1	
							RECORD STATIONARY CIRCULAR MERO	1	

SECTION "B-B"




GRASMERE HEIGHTS
SCHOOL
ERECTED A.D. 1936
BOARD OF SCHOOL TRUSTEES
B.F. GEYER, PRESIDENT
MRS. DAVID VESEY, SECY.
DAVID E. SMITH, TREAS.
DR. V.H. HILGEMANN
WM. T. MEKAY
SUPERINTENDENT OF SCHOOLS
MERLE J. ABBETT

SUPERVISOR OF BUILDINGS
CARL J. CARLSON
ARCHITECT
LE ROY BRADLEY
FORT WAYNE
ENGINEER
R.W. NOLAND, M.E.
GENERAL CONTRACTOR
HEATING & PLUMBING
ELECTRICAL



GRASMERE HEIGHTS SCHOOL
CORDES AND BRADTON AVENUES
FORT WAYNE INDIANA
COMM. NO. 363
ARCHITECT
LE ROY BRADLEY
221 W. WAYNE ST.
SHEET 5




RAILING POST BASE
SCALE 1/8"=1'-0"


DETAIL AT TOP OF CUPOLA
SCALE 1/8"=1'-0"

ELEVATION


SECTION

FRONT ENTRANCE & CUPOLA DETAILS
SCALE 1/8"=1'-0"







MAIN STAIRWAY DETAILS
SCALE: 1/2" = 1'-0"




SECTION THRU NORTH
STAGE STEPS
SCALE: 1/2" = 1'-0"
(SOUTH STAGE SIMILAR)



SECTION CC
SCALE: 1/2" = 1'-0"




CURDES AVENUE
PLOT PLAN
SCALE: 1/16" = 1'-0"




ELEVATION
TROPHY CASE
SCALE: 1/4" = 1'-0"



SECTION
1\"/>




ELEVATION
SUPPLY CASE
SCALE: 1/4" = 1'-0"



DETAIL OF BULLETIN BOARD
ONE (1) RECD
SCALE: 1/4" = 1'-0"




SECTION THRU
LOCKER RECESS
SCALE: 1/4" = 1'-0"




CLASS ROOM NO. 1 - NORTH ELEVATIONS - CLASS ROOM NO. 2
CLASS ROOM NO. 3 AND 4 SIMILAR
SCALE: 1/4" = 1'-0"


GRASMERE HEIGHTS SCHOOL
- CURDES AND RALSTON AVENUES -
FORT WAYNE - INDIANA
COMM. NO. 363
ARCHITECT - LE ROY BRADLEY
221 W. WAYNE ST.
SHEET 10




STONE WINDOW CASE WITHOUT GRILLE
SCALE 1/4" = 1'-0"




EXTERIOR IRON RAILINGS
SCALE 1/4" = 1'-0"




PLAN UPPER PART OF CUPOLA
SCALE 1/4" = 1'-0"





PLAN OF LOWER PART OF CUPOLA
SCALE 1/4" = 1'-0"




HALF ELEVATION WEST ENTRANCE
SCALE 1/4" = 1'-0"




JAMB PLAN FRONT ENTRANCE DOOR
SCALE 1/4" = 1'-0"




DETAILS OF WEST ENTRANCE
SCALE 1/4" = 1'-0"





SKYLIGHT DETAILS
SCALE 1/4" = 1'-0"





1/2" PIPE RAIL DETAILS
SCALE 1/4" = 1'-0"






STAGE EXIT CANOPY
SCALE 1/4" = 1'-0"



HALF ELEVATION OF STAGE
SCALE 3/16" = 1'-0"








FIRST FLOOR FRAMING PLAN
AND BASEMENT LINELS
SCALE $\frac{1}{8}'' = 1'-0''$

• CONCRETE BEAM SCHEDULE •

M.K.	DESCRIPTION	REINFORCING
CB 1	12x16 Concrete Beam	1-1" ϕ 1-1" ϕ
CB 2	10x16 " "	1-1" ϕ 1-1" ϕ
CB 3	12x20 " "	2-2" ϕ 2-2" ϕ
CB 4	12x20 " "	2-2" ϕ 2-2" ϕ
CB 5	12x18 " "	1-1" ϕ 1-1" ϕ
CB 6	12x16 " "	1-1" ϕ 1-1" ϕ

NOTE: In all concrete joint slabs use 6" x 6" wire mesh for temperature reinforcing. Double joints around openings & under partitions.




SECOND FLOOR FRAMING PLAN
AND FIRST FLOOR LINELS
SCALE $\frac{1}{8}'' = 1'-0''$

• SLAB SCHEDULE •


M.K.	KIND	SIZE & SPACING	REINFORCING EACH JOINT	REINFORCING SOLID SLABS
S 1	6" x 2" Concrete Joist	5" Joints @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 2	6" x 2" " "	5" " @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 3	6" x 2" " "	5" " @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 4	6" x 2" " "	5" " @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 5	6" x 2" " "	5" " @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 6	4" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 7	4" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 8	4" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 9	4" " "	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 10	6" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 11	6" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 12	6" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc
S 13	6" x 2" Concrete Joist	4" Joints @ 24" oc	1-3" ϕ 1-3" ϕ	—
S 14	6" x 2" " "	4" " @ 24" oc	1-3" ϕ 1-3" ϕ	—
S 15	6" x 2" " "	4" " @ 25" oc	1-3" ϕ 1-3" ϕ	—
S 16	6" x 2" " "	4" " @ 24" oc	1-3" ϕ 1-3" ϕ	—
S 17	6" x 2" " "	4" " @ 24" oc	1-3" ϕ 1-3" ϕ	—
S 18	6" x 2" " "	4" " @ 24" oc	1-3" ϕ 1-3" ϕ	—
S 19	6" Solid Slab	—	—	3" ϕ - 6" oc, 3" ϕ - 18" oc

• LINTEL • SCHEDULE •

MK	DESCRIPTION	LENGTH
L1	8" C @ 11.0" # 4 x 8 PL. # 1-0.5' x 3.5' x 8" L	5'-8"
L2	6" C @ 8.0" # 4 x 8 PL. # 1-0.5' x 0.5' x 4" L	6'-8"
L3	5'-0.5' x 0.5' x 4" L	4'-10"
L4	5'-4' x 0.5' x 4" L	4'-2"
L5	5'-4' x 0.5' x 4" L	11'-0"
L6	8" C @ 11.0" # 4 x 8 PL.	7'-2"
L7	8" C @ 11.0" # 4 x 8 PL. # 1-0.5' x 0.5' x 4" L	7'-2"
L8	1 L - 5' x 0.5' x 4" L - CONTINUOUS	20'-4"
L9	2 L - 5' x 0.5' x 4" L # 3 L - 3' x 0.5' x 4" L	7'-2"
L10	7 L - 3' x 0.5' x 4" L # 1 L - 3' x 0.5' x 4" L	6'-6"
L11	1 L - 3' x 0.5' x 4" L # 2 L - 4' x 4" x 4" L	4'-4"
L12	1 L - 5' x 0.5' x 4" L - CONTINUOUS	18'-6"
L13	4 L - 4' x 4" x 4" L	2'-8"
L14	2 - 2" x 10" in concrete wall	
L15	2 - 2" x 10" in concrete wall	
L16	2 - 2" x 10" in concrete wall	
L17	3 L - 3' x 0.5' x 4" L	4'-0"
L18	2 L - 3' x 0.5' x 4" L	3'-0"
L19	3 L - 3' x 0.5' x 4" L	3'-0"
L20	3 L - 4' x 0.5' x 4" L # Reinforced tile lintel	4'-2"
L21	3 L - 5' x 0.5' x 4" L with 5" rods	
L22	1 - 7" C @ 8.0" # 8 x 4 PL. # 1-0.5' x 0.5' x 4" L	8'-5"
L23	1 - 6" C @ 8.0" # 12 x 4 PL	11'-0"
L24	1 - 9" C @ 13.4" # 8 x 4 PL. # 1 L - 4' x 0.5' x 4" L	5'-0"
BA	Indicates Brick Arch.	
L25	1 L - 3' x 0.5' x 4" L	3'-8"



NOTE: In all concrete joint slabs use 5/8" rebar mesh for temperature reinforcing.
Roof joints around openings & under partitions to be covered with pre-cast concrete nailing slabs.
Steel mfg. & cast concrete slabs mfg. to interchange shop drawings & be responsible for all parts being properly coordinated.



ATTIC FLOOR & AUDITORIUM ROOF FRAMING

SHOWING SECOND FLOOR LINTELS
SCALE 3/8"=1'-0"

ATTIC ROOF FRAMING

SCALE 3/8"=1'-0"

• PURLIN • SCHEDULE •

MK	DESCRIPTION
P1-2-3-4	1 - 8" C @ 11.0"
P45-46-47-48	1 - 8" C @ 11.0"
P49-P44 Incl	1 - 8" x 4" LIGHT I Beam @ 10'
P49-70 Incl	6" C @ 8.0"
P123-134 Incl	6" C @ 8.0"
P71-132 Incl	6" x 4" LIGHT I Beam @ 12'
P135-136	1 - 4" C @ 5.5"

• STEEL BEAM • SCHEDULE •

MK	DESCRIPTION
B1	30" W F @ 110" # 20 x 1/2 PL - 6 x 6 x 1/2" shelf angle
B2-7 Incl	18" W F @ 55" # 20 x 1/2 PL - 6 x 6 x 1/2" shelf angle
B8-11 Incl	12" W F @ 28" # 12 x 1/2 PL - 6 x 6 x 1/2" shelf angle
B22-35 Incl	12" W F @ 28" # 12 x 1/2 PL - 6 x 6 x 1/2" shelf angle
B12-21 Incl	12" W F @ 28" # 12 x 1/2 PL - 6 x 6 x 1/2" shelf angle
B33	3" C @ 13.4"

• COLUMN • SCHEDULE •

MK	DESCRIPTION	EL. TOP	EL. BOT. D.P.	BASE PLATE	ANCHOR BOLTS	TOP PAD	BOTTOM PAD	REINFORCING
C1	6" H @ 30"	125'-3"	102'-3"	16 x 14 x 1 1/2"	2 - 1 x 20	—	48 x 48 x 16	3-3/4" each way
C2	6" H @ 30"	125'-3"	102'-3"	16 x 14 x 1 1/2"	2 - 1 x 20	—	48 x 48 x 16	3-3/4" each way
C3	6" H @ 30"	125'-3"	102'-3"	16 x 14 x 1 1/2"	2 - 1 x 20	—	48 x 48 x 16	3-3/4" each way
C4	6" H @ 31"	125'-3"	104'-4"	17 x 16 x 1 1/2"	4 - 1 x 20	56 x 56 x 14	72 x 72 x 16	3-3/4" each way
C5	8" H @ 31"	125'-3"	122'-9"	—	—	—	—	—
C6	8" H @ 31"	125'-3"	104'-4"	17 x 16 x 1 1/2"	4 - 1 x 20	56 x 56 x 14	72 x 72 x 16	3-3/4" each way
C7	6" H @ 20"	145'-3 1/8"	132'-5 1/4"	12 x 14 x 1 1/2"	2 - 1 x 10	—	—	—
C8	6" H @ 20"	145'-3 1/8"	132'-5 1/4"	12 x 14 x 1 1/2"	2 - 1 x 10	—	—	—
C9	4" H @ 12.6"	139'-10 3/8"	132'-5 1/4"	12 x 12 x 1	2 - 1 x 10	—	—	—
C10	4" H @ 13.5"	140'-3 3/8"	132'-5 1/4"	12 x 12 x 1	2 - 1 x 10	—	—	—
C11	4" H @ 13.6"	140'-3 3/8"	132'-5 1/4"	12 x 12 x 1	2 - 1 x 10	—	—	—
C12	6" H @ 20"	139'-10 3/8"	132'-5 1/4"	12 x 14 x 1 1/2"	2 - 1 x 10	—	—	—
C13	4" H @ 13.5"	143'-4 1/8"	132'-5 1/4"	12 x 12 x 1	2 - 1 x 10	—	—	—

GRASMERE HEIGHTS SCHOOL
• CURDES AND BALSTON AVENUES •
FORT WAYNE • INDIANA

COMM. NO. 303
ARCHITECT
LE ROY BRADLEY
221 W. WAYNE ST.
SHEET 03

S/6C U 177

Grassmere
Heights

Frances
S/6C U